

Fueling the World



One leading professional gas station equipment and solution manufacturer

Company

Eaglestar, located in Zhengzhou city, Henan Province, China, is a leading manufacturer of Petroleum equipment for retail petroleum markets.

Eaglestar has been involved in the fuel dispenser industry since 2005. After over 20 years development, Eaglestar has continuously set up the sales network in Africa, Middle East and Asia markets. The high quality products and the convenient, rapid service bring a good reputation to Eaglestar. In some markets such as Nigeria, Ghana, and Tanzania. Eaglestar has been the No.1 brand and achieved over 50% market share.

In Eaglestar, innovation is the core spirit. Innovation demonstrates in research & design, production, quality-control and sales & service etc. every segment. All the electronic systems are designed and developed by Eaglestar's highly professional team. The key electronic components are imported from The US or Japan originally to keep the good quality. The mechanical hydraulic system is designed by Eaglestar team and produced by qualified OEM suppliers. The factory passed ISO9001 system.

Besides the national explosion-proof and metrology pattern approvals, Eaglestar also passed OIML testing and got the approvals. Meanwhile, the company is in the process of ATEX.

Our Goals: to maximize our market in global market. to provide the high quality products and best service for our customers.

Our vision: to be a professional manufacturer of retail petroleum equipment and solutions.

Fueling Station Show



Fueling Station Show



Production Department



Quality management Department



APPROVED BRAND LIST DIREKTORAT LSGI & PEMASARAN PT. PERTAMINA (Persero)
RELIABILITY & PROJECT DEVELOPMENT - SEPTEMBER 2020

NO	Produk	Brand Name	Website	Country Of Origin & Head Quarter Address	Contact for Correspondence (Contact Person and Company Name)
4	Dispenser pump (o/ BMM) untuk CODD	Tomnaga MFG CO	http://www.kyoto-tmc.co.jp/eng/wh/	JAPAN	PT. Datasys Integrated Technology Jalan Jembatan Tiga Blok F 4 - 5 Kali Penjaringan Dede Gunawan (081297794554) - dede.gunawan@datasys-ri.co.id
		SOMAD	www.somapetro.com	SOUTH KOREA	PT. Surya Kwang Sung Rukan Crown Palace Blok C32 Jln. Prof. Dr. Soepomo No. 231, Tebet Jakarta Selatan Surya_kwangung@hotmail.com Anna Suvati (08770009197) Stephen Kim (08161808729)
		PREMIER	http://www.chinahongyang.com/fuel.html	CHINA	PRATAMA SEJANTERA PREMIER Jln. Dukuh Paksi II No. 112 Surabaya 031-5617029 premier.agahera@yahoo.co.id Rudy Susanto - 081231145677
		EAGLESTAR		CHINA	PT. Usaha Churlian Indonesia Kampung Rukan Senter Permai Blok A, No. 18, Jln Deras Senter Utara, Jakarta Utara Wituri Royani (081212095088)

Dapat ditambahkan Brand Dispenser Pump Grade CODD & CODD





CONTENTS

01	Technical Specification Chart-----	P9
02	EG7 -----	P10
03	EG6 -----	P11-12
04	EG5-----	P13-16
05	EG3-----	P17-18
06	EG1-----	P19



07	EG4TD -----	P20
08	EGX1 -----	P21
09	EG2 -----	P22
10	Tank Gauging System (ATG)-----	P23-P24
11	Fuel Management System (FMS)-----	P25-P26

Technical Specification Chart

		standard flow rate (gasoline/diesel)	heavy duty (diesel)
flow rate	suction	5~50 LPM	8~80 LPM
	submersible	The flow rate will be subject to the submersible type on site.	
Accuracy		± 0.30%	
Electronic	Type	LCD display, white backlight	
	Display	Sale: 7digits [0-99999.99]	
		Liter: 7digits [0-99999.99]	
		Price: 5digits [0-999.99]	
Totalizer	10digits liter/volume: 0-42949672.95		
Other functions		Self - diagnosis, over voltage protection, stand by battery	
Keypad		16 buttons high quality membrane keypad for sale and liter preset	
Flow meter		Soft piston positive displacement volume flow meter with high accuracy and long lifetime	
Vane pump		Vane blade type pump with air separator combination with smooth running and low noise	
Gear pump		Gear pump with air separation combination, by pass valve, two filters with strong suction and long lifetime	
Suction		4~6 meters	
Ex motor		Standard : 380V 3 phase explosion proof motor, China top brand Option: 220V 1 phase explosion proof motor, China top brand	
Automatic Nozzle		Standard duty: Spout size: 13/16" or 15/16" Heavy duty : 1" China top brand Option: OPW	
Coupling		Standard: Single	
Hose		Stanard duty: 3/4" X 4 meters Black anti oil hose Heavy duty : 1" Option: The colorful hose and specified length	
Breakaway coupling		Option	
Sight glass		3W sight glass or 1W sight glass	
Emergency button		Option	
Filter (submersible)		Option	
Body		Standard: White color Option: Customized logo can be printed on canopy and front panel.	
Communication port		RS485 and current loop	
Ex pulser		China top brand	
Ex solenoid valve		Two stage control valve, China top brand. Standard duty : 3/4", Heavy duty : 1"	
Flexible pipe		1.5" thread flange connection	
		1.5" thread connect to shut off valve	
Other options		Please see the details in front pages for each series.	

EG7 Self Service Fuel Dispenser

- EG7 Brilliant series brings a quite different image for self-service fuel dispensers. The simple shape is modern and top, which represents the future for high-end gas stations.
- 32 inch LED display based on Android can realize the convenient payments including petrol card, mobile payment, bank card, RFID and face scanning payments.
- We offer a custom-designed APP for customers for all kinds of global markets.



EG7-424S-X23

Basic models and standard features:

- Standard duty : 50 liter per min. Optional 70 liter per min
- Vane pump, optional gear type pump
- 4-piston flow meter
- 7-7-5 LCD display, 8-8-6 optional
- Suction or submersible type
- 380V or 220V explosion proof motor
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for bill receipt
- Card reader for prepay petro card
- 15" colorful LED
- Optional self service system on LED
- Customized logo painting on front panel

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG7-222S-X23	S: submersible type	2 hoses, 2 products, 2 displays	Package: 1700*980*2490
EG7-424S-X23		4 hoses, 2 products, 4 displays	
EG7-632S-X23		6 hoses, 3 products, 2 displays	
EG7-636S-X23		6 hoses, 3 products, 6 displays	
EG7-848S-X23		8 hoses, 4 products, 8 displays	Package: 1960*980*2490

EG6 Self-Service

- This "L" type fuel dispenser is attractive to all the customers. The optional convenient hose retractor keeps the hose clean and nice.
- More than 6 configurations offer customers flexible choices, from 2 hoses, 4 hoses, 6 hoses to 8 hoses.
- An optional printer can provide more convenience to end users.

Basic models and standard features:

- Standard duty: 50 liter per min. Optional 70 liter per min.
- Vane pump and 4-piston flow meter. Optional gear pump.
- 380V or 220V explosion proof motor
- Suction or submersible type
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for receipt
- Card reader for prepay petro card
- 15 inch LED optional for advertisement
- Non resettable electromagnetic totalizer
- External reusable filter
- Customized logo painting on front panel



EG6-636G-L23



EG6-424G-L23

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG6-424G-L23 G or S	G: gear pump S: submersible type	4 hoses, 2 products, 4 displays	Package:1940*1000*2500
EG6-422G-L23 G or S		4 hoses, 2 products, 2 displays	
EG6-634G-L23 G or S		6 hoses, 3 products, 4 displays	
EG6-632G-L23 G or S		6 hoses, 3 products, 2 displays	

EG6

- Unlock new revenue streams with the EG6 LED display—showcase your fuel station's promotions or host commercial ads to boost income effortlessly
- The robust L-type fuel dispenser, with an optional hose retractor, offers a clean and attractive solution that appeals to all customers.

Basic models and standard features:

- Standard duty: 50 liter per min. Optional 70 liter per min.
- Vane pump and 4-piston flow meter. Optional gear pump.
- 380V or 220V explosion proof motor
- Suction or submersible type
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for receipt
- Card reader for prepaid petro card
- 15" 27" LED display for advertisement
- Non resettable electromagnetic totalizer
- External reusable filter
- Customized logo painting on front panel
- Hose retractor for easy pulling, Vapor recovery system



EG6-632-N25



EG6-422-N25

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG6-222G-H22 G or S	G: gear pump S: submersible type	2 hoses, 2 products, 2 displays	Package:1670*1000*2500
EG6-424G-H22 G or S		4 hoses, 2 products, 4 displays	
EG6-422G-H22 G or S		4 hoses, 2 products, 2 displays	
EG6-634G-H22 G or S		6 hoses, 3 products, 4 displays	Package:1880*1000*2500
EG6-632G-H22 G or S		6 hoses, 3 products, 2 displays	
EG6-842G-H22 G or S		8 hoses, 4 products, 2 displays	

EG5 High-Light Logo


- The optimized EG5 is with a completely new image that brings more firmness and stability.
- The EG5 high-light display, customizable with your company name, ensures exceptional visibility even in dim conditions, making your brand stand out.

Basic models and standard features:

- Standard duty: 50 L/M. Optional: 70 liter per min.
- Gear pump and 4-piston flow meter
- Standard 7-7-5 LCD display. Optional 8-8-6 display
- Emergency button stop
- 380V or 220V explosion proof motor
- Non re-settable electromagnetic totalizator
- Suction or Submersible type
- RS485 and current loop are available for POS communication
- Customized logo painting on front panel

Optional features:

- Gear pump
- Built in printer for bill receipt (for single display only)
- Breakaway coupling
- Vapor recovery system
- Submersible type
- Customized logo painting on front panel
- Card reader for petrol card



Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG5-222G-N23 G or S	G: gear pump S: submersible type	2 hoses, 2 products, 2 displays	Package:1200*790*2330
EG5-424G-N23 G or S		4 hoses, 2 products, 4 displays	
EG5-636G-N23 G or S		6 hoses, 3 products, 6 displays	

EG5 Advertising Promotion

- Maximize visibility and attract customers with dynamic advertising on the 15-inch EG5 LED screen, driving traffic both at the pump and into your store.
- Enhance your brand presence and boost sales by leveraging the customizable EG5 LED display, offering impactful digital solutions that engage fueling customers.

Basic models and standard features:

- Standard duty : 50 liter per min. Optional 70 liter per min.
- Vane pump, optional gear type pump.
- 4-piston flow meter
- 7-7-5 LCD display, 8-8-6 optional
- Suction or submersible type
- 380V or 220V explosion proof motor
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for bill receipt
- Card reader for prepaid petro card
- 15" colorful LED
- Optional self service system on LED
- Customized logo painting on front panel



EG5-222G-H23



EG5-422G-H23

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG5-212G-H23 G or S	G: gear pump S: submersible type	2 hoses, 1 product, 2 displays	Package:1130*760*2490
EG5-222G-H23 G or S		2 hoses, 2 products, 2 displays	
EG5-424G-H23 G or S		4 hoses, 2 products, 4 displays	

EG5 Classic- 4 and 6 Hose

- The EG5 classic series features a sleek, modern design with exceptional stability and durability, delivering maximum return on investment for your station.
- Confidence comes standard with the advanced electronics, more than ten base configurations, EG5 offers the versatility and reliability to our global customers.
- Tailor your fuel dispenser experience with flexible display options--select a dedicated screen for each nozzle or opt for a multi-nozzle shared display, perfectly balancing performance and cost-efficiency.

Basic models and standard features:

- Standard duty: 50 L/M. Optional: 70 liter per min.
- Gear pump and 4-piston flow meter
- Standard 7-7-5 LCD display. Optional 8-8-6 display
- Emergency button stop
- 380V or 220V explosion proof motor
- Non re-settable electromagnetic totalizer
- Suction or Submersible type
- RS485 and current loop are available for POS communication
- Customized logo painting on front panel

Optional features:

- Gear pump
- Built in printer for bill receipt (for single display only)
- Breakaway coupling
- Vapor recovery system
- Submersible type
- Customized logo painting on front panel
- Card reader for petrol card



EG5-424G-C20



EG5-636G-C20

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG5-422G-C20 G or S	G: gear pump S: submersible type	4 hoses, 2 products, 2 displays	Package:1050*780*2490
EG5-636G-C20 G or S		6 hoses, 3 products, 6 displays	Package:1300*780*2490
EG5-848G-C20 G or S		8 hoses, 4 products, 8 displays	Package:1620*780*2490

EG5 Classic - 6 and 8 Hose

- The EG5 is a favored choice among fuel companies, renowned for its classic elegance and exceptional quality, making it the perfect option to elevate the image of customer's fuel stations.
- Experience the versatility of our multi-nozzle fuel dispensers, designed to streamline operations and enhance efficiency for your fueling needs. Improve customer service with optional printers that deliver receipts on demand, making every transaction seamless and professional.

Basic models and standard features:

- Standard duty: 50 L/M. Optional: 70 liter per min.
- Gear pump and 4-piston flow meter
- Standard 7-7-5 LCD display. Optional 8-8-6 display
- Emergency button stop
- 380V or 220V explosion proof motor
- Non re-settable electromagnetic totalizator
- Suction or Submersible type
- RS485 and current loop are available for POS communication
- Customized logo painting on front panel

Optional features:

- Gear pump
- Built in printer for bill receipt (for single display only)
- Breakaway coupling
- Vapor recovery system
- Submersible type
- Customized logo painting on front panel
- Card reader for petrol card



EG5-632G-C20



EG5-848G-C20

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG5-422G-C20 G or S	G: gear pump S: submersible type	4 hoses, 2 products, 2 displays	Package:1050*780*2490
EG5-636G-C20 G or S		6 hoses, 3 products, 6 displays	Package:1300*780*2490
EG5-848G-C20 G or S		8 hoses, 4 products, 8 displays	Package:1620*780*2490

EG3

- The EG3 embodies elegance and performance, offering exceptional quality that maximizes value for customers and elevates fueling experience.
- The best-selling EG3 is embraced by customers worldwide, proving its versatility and reliability in both large urban stations and small rural facilities.
- EG3 series, available in single and dual hose configurations, is your ideal choice. The premium steel cabinet safeguards your investment, while top-tier electronic and mechanical components ensure minimal maintenance for unparalleled reliability.

Basic models and standard features:

- Standard duty : 50 liter per min. Optional 70 liter per min
- Vane pump, optional gear type pump
- 4-piston flow meter
- 7-7-5 LCD display, 8-8-6 optional
- Suction or submersible type
- 380V or 220V explosion proof motor
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for bill receipt
- Card reader for prepay petro card
- Customized logo painting on front panel



EG3-222G-H24



EG3-222G-S24

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG3-111G-H24 V or G or S	V: vane pump	1 hose, 1 product, 1 displays	Package: 1050*550*2233
EG3-212G-H24 V or G or S	G: gear pump	2 hoses, 1 product, 2 displays	
EG3-222G-H24 V or G or S	S: submersible type	2 hoses, 2 products, 2 displays	

|EG3 High-light Logo

- The EG3 offers both single and dual-hose models, flexibly adapting to different fueling requirements and providing the best solutions for your operations.
- The EG3 features a high-light logo for enhanced visibility, premium components and precise flow meters for accurate fueling, ensuring reliability and customer satisfaction.

Basic models and standard features:

- Standard duty : 50 liter per min. Optional 70 liter per min
- Vane pump, optional gear type pump
- 4-piston flow meter
- 7-7-5 LCD display, 8-8-6 optional
- Suction or submersible type
- 380V or 220V explosion proof motor
- Emergency button stop
- Non resettable electromagnetic totalizer
- Rs485 and current loop for POS communication

Optional features:

- Built in printer for bill receipt
- Card reader for prepay petro card
- Customized logo painting on front panel
- High-light Logo



EG3-111G-C20



EG3-222G-C20

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG3-111G-C20 V or G or S	V: vane pump	1 hose, 1 product, 1 displays	Package: 1060*480*2233
EG3-212G-C20 V or G or S	G: gear pump	2 hoses, 1 product, 2 displays	
EG3-222G-C20 V or G or S	S: submersible type	2 hoses, 2 products, 2 displays	

EG1

- Economical EG1 pump represents the value vs cost. It can fully meet all your fueling requirements with a reasonable investment.
- For the vane pump, we put an independent filter which can extremely protect the flow meter for a long lifetime operation.
- High quality electronic parts are specially designed and produced for high and low power fluctuations in the market.
- An optional LED screen display can be installed on the canopy to advertise your fueling station and attract more customers.

Basic models and standard features:

- Standard duty : 50 liter per min. Optional 70 liter per min.
- Vane pump and 4-piston flow meter, Optional Gear type pump.
- 7-7-5 LCD display, Optional 8-8-6 display
- 380V or 220V explosion proof motor
- Suction or submersible type
- Emergency button stop
- Non re-settable electromagnetic totalizator
- Rs485 and current loop for POS communication

Optional features:

- TK Gear Pump
- LED display on the canopy
- Built in printer for receipt
- Non re-settable electromagnetic totalizator
- External reusable filter
- Customized logo painting on front panel
- Card reader for prepay petro card



EG1-222G-C17



EG1-222G-A17

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EG1-111V or G or S	V: vane pump	1 hose, 1 product, 1 display	Package: 1060*480*2233
EG1-212V or G or S	G: gear pump	2 hoses, 1 product, 2 displays	
EG1-222V or G or S	S: submersible type	2 hoses, 2 products, 2 displays	

EG4TD

- This EGD series is specially designed for truck fueling in highway service stations, wholesale fuels, mining and construction areas etc.
- Different flow rates such as 100 LPM, 200 LPM, and 300 LPM (submersible type only) are the best choice for different areas.
- The super heavy duty flow meter is designed and produced with a unique smart internal structure to keep high accuracy and better repeatability. For details please see the following introduction on spare parts.

Basic models and standard features:

- 100, 200 LPM (suction or submersible) or 300 LPM (submersible only) RICH CHOICE.
- Standard TAT type gear pump and 4-position flow meters are combined to reduce the cost for super high flow rate for 90, 120 and 150 LPM.
- Industrial flow meter for ultra high flow rate 200, 300 LPM.
- 1 inch, 1.5 inch, 2 inch hose and nozzle are top brand in China to improve the better performance in operation.

Optional features:

- Single phase motor (standard 3 phase) for 100 or 200 LPM suction.
- Submersible type
- Customized logo painting on front pane



EGD-121G-A17

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EGD-121G 120L/M	G: gear pump S: submersible type	1 hose, 2 pumps, 1 displays	Package: 1170*660*1720
EGD-111S 200L/M		1 hose, 1 pump, 1 displays	
EGD-222S 300L/M		2 hoses, 2 pumps, 2 displays	

EGX1 Fleet dispenser

- The smart compact EGX1 offers Complete solutions for commercial fuelling businesses including bus companies, mining and transportation companies, etc.
- The EGX1, equipped with RFID (Radio Frequency Identification) technology, provides an efficient and secure solution for automating vehicle identification, fuel authorization, and payment deduction—all without the need for manual intervention.
- Two kinds of flow rates (50 and 70 L/Min.) can fully meet the requests of various customers.
- Same high quality electronic and mechanical parts demonstrate its good performance in harsh environments.

Basic models and standard features:

- 1 hose 1 product only
- Standard duty : 50 liter per min. Optional 70 liter per min.
- Vane pump and 4-piston flow meter
- 380V or 220V explosion proof motor
- Suction or submersible type
- Hose holder

Optional features:

- Built in printer for receipt
- Card reader for prepaid petro card
- Non resettable electromagnetic totalizer
- External reusable filter
- Customized logo painting on front panel



EGX1-111V-C17

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EGX1-111V or G	V: vane pump G: gear pump	1 hose, 1 product, 1 display	Package: 760*550*1690

EG2 Portable

- Two different flow rates 50 LPM and 70 LPM (diesel only) are available for different requirements.
- Optional 6 OR 20 meters delivery hoses are provided for more convenient operation.
- A high quality hose reel is very popular with the customers in harsh environment operation.
- With a 24V DC or 220V AC motor and pump, the mobile fuel dispenser offers various versatility and configurations for different customers in different environments.
- High performance filters ensure the clean fuel for customers as well as prolong the lifetime of the flow meter.
- Optional Italy PIUSI 24V DC motor pump has better quality for a long lifetime and good operation.
- Independent power box enhances the safety of the EGM dispenser unit.
- Built-in printer is a good feature for customers.

Basic models and standard features:

- Standard duty: 50 liter per min.
- 4 - piston flow meter
- Italy PIUSI high quality DC 24V pump
- 220V AC pump available
- Without DC or AC pump, submersible type

Optional features:

- 7-7-5 LCD display (standard 6-6-4)
- Heavy duty : 70 liter per min.
- 24V DC pump and motor
- Emergency button stop
- Customized logo painting on front pane
- Italy PIUSI BRAND DC PUMP



EGM-111G-C18



EGM-111G-H21

Model	Pump	Nozzle Fuel Products	Dimension (mm)
EGM-111G-C18 50L/M	G: gear pump	1 hose, 1 product, 1 display	Package: 600*520*790
EGM-111S-H21 70L/M			Package: 700*490*1040

TANK GAUGING SYSTEM(ATG)


- The Tank Gauging System offers real-time monitoring of liquid levels, fuel volumes, and water levels within the tank for precise management.
- With the ability to view liquid levels on-site or remotely, operators can ensure optimal inventory control and quick response to any changes.
- Equipped with high and low level alarm function, this system enhances safety by promptly alerting users to critical tank conditions.

Functional Features:

- Latest magne to strictive technology and digital electronic technology.
- High quality 316 stainless steel ensures a longer lifetime for the probe, even in the harshest environments.
- Five precise sensors ensure the accurate temperature measurement of fuel products.
- Easy installation without maintenance.
- Used for gasoline, diesel, kerosene and other light fuels.
- Available lengths are from 1m to 4m.

Technical parameters:


- Power supply: DC24V (+10%) ,40mA
- Precision +0.5mm
- Repeatability ±0.2mm
- Resolution of product level: 0.01mm
- Resolution of water level: 0.0lmm
- Resolution of temperature: 0.0625℃
- Temperature range: -40℃ ~ 60℃
- Temperature points measured: 5
- Maximum communication distance: 500m
- Communication por : RS-485
- Mark of explosion proof : Exia II AT5 Ga
- Protection level :IP67
- Measured medium: Gasoline, kerosene, diesel, light fuel
- Maximum measure length : 4500m
- Fuel float kits : 2' - Water float kits : 2'



Fuel Management System (FMS)

The solution to manage your Delivery, Sales and Inventory in gas station!

- Centralized Pricing Control: Effortlessly adjust fuel prices across all stations through the system for streamlined management.
- Real-Time Sales Data Display: Monitor sales performance at each station with live data, enabling informed decision-making.
- Automated Sales Reporting: Automatically generate comprehensive sales reports for each station, saving time and enhancing accuracy.
- Historical Data Inquiry: Access sales data from any time period for detailed analysis and strategic planning.
- Membership Management: Efficiently manage customer memberships to enhance loyalty and drive sales.
- Convenience Store Management: Integrate convenience store operations seamlessly, optimizing inventory and sales tracking.





Henan Eaglestar Energy Technology Co., Ltd

Add: No 8, the 5th Diamond Rd, Zhengzhou New Materials Park, Zhengzhou city, Henan Province, China.

Whatsapp&Viber: 00861 3598081203

Email: sales@eaglestarpetro.com

www.chinaeaglestar.com / www.egfueldispenser.com / www.eaglestarenergy.com